

Available online at www.sciencerepository.org

Science Repository



Case Report

Unilateral Aberrant Internal Carotid Artery in the Middle Ear: A Case Report Presenting with Pulsatile Tinnitus

Federica Zoccali¹, Giuseppe Pelle², Fabrizio Cialente^{1*} and Salvatore Martellucci¹

¹Department of Sense Organs, Sapienza University, Rome, Italy

²Department of Interventional Radiology, Santa Maria Goretti, Latina, Italy

ARTICLE INFO

Article history:

Received: 14 March, 2022

Accepted: 28 March, 2022

Published: 15 April, 2022

Keywords:

Aberrant internal carotid artery
pulsatile tinnitus
computerized tomography
magnetic resonance

ABSTRACT

The prevalence of aberrant internal carotid artery (ICA) in the middle ear is very low. It represents a potentially life-threatening anatomical variation that requires an accurate diagnosis to prevent catastrophic complications such as massive hemorrhage during otologic procedures. Tomography and magnetic resonance could be very useful to identify this rare entity and to avoid its complications. We report the case of a 42-year-old woman who presented to our Ear, Nose and Throat department with persistent unilateral pulsatile tinnitus. An aberrant ICA in the tympanic cavity is a rare and particularly dangerous condition. Otolaryngologists must always consider the possibility of severe or fatal hemorrhage, so accurate pre-operative radiologic investigations are recommended before each middle-ear surgical intervention.

© 2022 Fabrizio Cialente. Hosting by Science Repository.

Get access to the full version of this article: <http://dx.doi.org/10.31487/j.SCR.2022.03.01>

*Correspondence to: Fabrizio Cialente, M.D., Department of Sense Organs, Sapienza University of Rome, Viale del Policlinico 155, 00186, Rome, Italy; Tel: +390649976802; Fax: +390649976802; E-mail: fabrizio.cialente@hotmail.it