

Available online at www.sciencerepository.org

Science Repository



Case Report

SEM-EDX Analysis of a Submandibular Gland Salivary Calculus: A Case Report

Raffaele Vinci¹, Bruna Sinjari^{2,3}, Imena Rexepi^{2,3}, Giammaria D'Addazio^{2,3}, Manlio Santilli^{2,3}, Massimiliano Di Giosia⁴, Sergio Caputi^{2,3} and Tonino Traini^{2,3*}

¹Department of Dentistry, IRCCS San Raffaele, Milano, Italy

²Department of Innovative Technologies in Medicine & Dentistry, University G. d'Annunzio Chieti-Pescara, Chieti, Italy

³Electron Microscopy Laboratory, University G. d'Annunzio Chieti-Pescara, Chieti, Italy

⁴Department of Diagnostic Sciences, Oro Facial Pain Clinic, Adams School of Dentistry, University of North Carolina at Chapel Hill, North Carolina, USA

ARTICLE INFO

Article history: Received: 1 January, 2021 Accepted: 18 January, 2021 Published: 25 January, 2021

Keywords: Sialolithiasis salivary stones EDX-SEM

$A\,B\,S\,T\,R\,A\,C\,T$

Sialolithiasis or "salivary lithiasis" is a pathological condition that involves the formation of calcified concrements within the gland parenchyma and its ductal system of the main salivary glands of the head and neck area. Various theories of lithogenesis have been reported, but the etiology of sialoliths still remains unclear. The aim of this case report was to evaluate the biochemical composition and the surface morphology of a sialolith using energy dispersion X-ray spectroscopy (EDX) and scanning electron microscopy (SEM). SEM images of the sialolith detected a concentric laminar architecture of the sialolith's core surrounded by radial structures that are arranged from the center to the periphery of the sialolith. EDX analysis detected a high percentage of carbon in the central area of the sialolith, indicating the abundance of organic materials. Structures corresponding to a foreign body or bacteria were not detected in any area. Thus, the sialolith presented a mixed genesis, and the increased presence of organic substances over inorganic ones suggests its phlogistic nature.

© 2021 Tonino Traini. Hosting by Science Repository.

Get access to the full version of this article: http://dx.doi.org/10.31487/j.SCR.2021.01.17

^{*}Correspondence to: Tonino Traini, Department of Innovative Technologies in Medicine & Dentistry, Electron Microscopy Laboratory, University G. d'Annunzio Chieti-Pescara, 66100 Chieti, Italy; Tel: +3908713554143; E-mail: t.traini@unich.it

^{© 2021} Tonino Traini. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. Hosting by Science Repository. http://dx.doi.org/10.31487/j.SCR.2021.01.17